WISI GNSCR

Software option for DVB-Simulcrypt-Scrambling





Description

DVB-CSA Scrambling in the CHAMELEON is enabled by the Software option GNSCR (Simulcrypt scrambling). The GNSCR SW option allows you to use the TANGRAM as a scrambler for encryption of the output services by connecting to a Conditional Access Server (CAS) via the IP interface. Together with the CHAMELEN scrambler and the CAS you can built your solution for protect the copyrighted content. The extension SW option GNSCRX enables the maximum number of scrambled service.

Scope of delivery

 After buying the software option you can download the enitlement file which includes the software option on www.wisiconnect.tv.

At a glance:

- DVB-CSA scrambler
- Supports MPEG-2 H.262 and MPEG-4 H.264 scrambling (SD & HD)
- Control word (CW) generator
- EMMG connection interface
- ECMG connection interface
- Multiple service scrampling
- PID level scrambling

Wilhelm-Sihn-Str. 5-7 Phone: +49 7233 66-280, Fax: -350

75223 Niefern - Oeschelbronn, Germany E-Mail: export@wisi.de

Technical Modifications reserved. WISI cannot be held liable for any printing error. 12. Februar 2018, 11:44 vorm.

WISI GNSCR

Technical data	
DVB-CSA / Simulcrypt interface	
Interface CAS	IP
Number of encrypted Services	up to 32 with GNSCR and up to 128 with GNSCR + GNSCRX
Number of encrypted PIDs	up to 128 with GNSCR and up to 512 with GNSCR + GNSCRX
Maximum scrambling throughput	Max. 850 Mbps
Supported scrambling keys	Max. 150 per module (shared key memory)
Scramblable outputs	IP, DVB-C (QAM), DVB-T (COFDM)
Interface protocol version support	ECMG <=> SCG: V2 and V3 / EMMG/PDG <=> MUX: V2 and V3
DVB compliance	DVB-Simulcrypt (ETSI TS 103 197)
Support of selective scrambling	Yes, individual configurable (10%, 25%, 50%, 75%, 100%)

Packaging data	
Sales unit	1 pcs.
EAN	4010056717599
Article number	71759